



SHORAI LFX バッテリー 互換表

注意：車輛への適合は必ずバッテリーセクターより先にご確認下さい。車輛によっては本適合表と適合バッテリーが異なる場合がございます。

ジーエス・ユアサバッテリー						SHORAI LFX バッテリー					
型番	10時間率 容量 (Ah)	最大外形寸法 (mm)			重量 約 (Kg)	型番	10時間率 容量 PbEq(Ah)	最大外形寸法 (mm)			重量 約 (Kg)
		長さ	幅	高さ				長さ	幅	高さ	
MF 型バッテリー						SHORAI LFX					
YT4B-BS	2.3	114	39	86.5	0.9	-	-	-	-	-	-
GT4B-5	2.5	113	39	86.5	1.1	-	-	-	-	-	-
YTR4A-BS	2.3	114	49	86	1.1	-	-	-	-	-	-
YT4L-BS	3.0	114	71	86	1.4	-	-	-	-	-	-
YTX4L-BS	3.0	114	71	86	1.5	LFX07L2-BS12	7.0	113	58	89	0.424
						LFX09L2-BS12	9.0	113	58	89	0.575
YTX5L-BS	4.0	114	71	106	2.0	LFX07L2-BS12	7.0	113	58	89	0.424
						LFX09L2-BS12	9.0	113	58	89	0.575
YTZ6V	5.0	114	71	106	2.1	LFX09L2-BS12	9.0	113	58	89	0.575
						LFX14L2-BS12	14.0	113	58	89	0.663
YT7B-BS	6.0	151	66	94	2.2	LFX09A2-BS12	9.0	113	58	89	0.575
						LFX14A2-BS12	14.0	113	58	89	0.663
GT7B-4	6.5	150	66	94	2.7	LFX09A2-BS12	9.0	113	58	89	0.575
						LFX14A2-BS12	14.0	113	58	89	0.663
YTX7A-BS	6.0	151	88	94	2.6	LFX14A4-BS12	14.0	148	86	88	0.901
YTX7L-BS	6.0	114	71	131	2.5	LFX09L2-BS12	9.0	113	58	89	0.575
						LFX14L2-BS12	14.0	113	58	89	0.663
YTZ7S	6.0	114	71	106	2.1	LFX09L2-BS12	9.0	113	58	89	0.575
						LFX14L2-BS12	14.0	113	58	89	0.663
YTZ7V	6.0	114	71	121	2.5	LFX14L2-BS12	14.0	113	58	89	0.663
GT7B-4	6.5	150	71	94	2.7	LFX14L2-BS12	14.0	113	58	89	0.663
GTZ8V	7.0	114	71	131	2.7	LFX14L2-BS12	14.0	113	58	89	0.663
GT9B-4	8.0	150	70	106	3.5	LFX14A1-BS12	14.0	148	66	105	0.851
						LFX18A1-BS12	18.0	148	66	105	1.038
YTX9-BS	8.0	151	88	106	2.9	LFX14A4-BS12	14.0	148	86	88	0.901
						LFX19A4-BS12	19.0	148	86	88	1.120
YTZ10S	8.6	152	88	94	3.2	LFX14A4-BS12	14.0	148	86	88	0.901
						LFX19A4-BS12	19.0	148	86	88	1.120
YT12B-BS	10.0	151	70	131	3.3	LFX14A1-BS12	14.0	148	66	105	0.851
						LFX18A1-BS12	18.0	148	66	105	1.038
GT12B-4	10.0	150	70	131	4.1	LFX14A1-BS12	14.0	148	66	105	0.851
						LFX18A1-BS12	18.0	148	66	105	1.038
YT12A-BS	10.0	151	88	107	3.5	LFX18A1-BS12	18.0	148	66	105	1.038
						LFX19A4-BS12	19.0	148	86	88	1.120
YTX12-BS	10.0	151	88	131	4.2	LFX18A1-BS12	18.0	148	66	105	1.038
						LFX19A4-BS12	19.0	148	86	88	1.120
YTZ12S	11.0	152	88	112	3.7	LFX18A1-BS12	18.0	148	66	105	1.038
						LFX19A4-BS12	19.0	148	86	88	1.120
YTZ14S	11.2	152	88	112	3.9	LFX18A1-BS12	18.0	148	66	105	1.038
						LFX19A4-BS12	19.0	148	86	88	1.120
GT14B-4	12.0	150	70	146	4.6	LFX18A1-BS12	18.0	148	66	105	1.038
YTX14-BS	12.0	151	88	146	4.6	LFX21A6-BS12	21.0	148	82	140	1.380
YTX20L-BS	18.0	177	88	156	6.3	LFX24L3-BS12	24.0	166	86	155	1.640
						LFX27L3-BS12	27.0	166	86	155	1.750

SHORAI LFX バッテリー 互換表



ジーエス・ユアサバッテリー						SHORAI LFX バッテリー					
型番	10時間率 容量 (Ah)	最大外形寸法 (mm)			重量 約 (Kg)	型番	10時間率 容量 PbEq(Ah)	最大外形寸法 (mm)			重量 約 (Kg)
		長さ	幅	高さ				長さ	幅	高さ	
開放型バッテリー						SHORAI LFX					
6YB8L-B	8.0	121	71	96	1.3	LFX18L2-BS06	18.0	113	58	89	0.575
6YB11-2D	11.0	150	70	100	1.7	LFX18L2-BS06	18.0	113	58	89	0.575
YB2.5L-C	2.5	81	71	106	0.7	-	-	-	-	-	-
YB2.5L-C-3	2.5	81	71	106	0.7	-	-	-	-	-	-
YB3L-A	3.0	99	57	111	1.0	-	-	-	-	-	-
YB3L-B	3.0	99	57	111	1.0	-	-	-	-	-	-
YB4L-B	4.0	121	71	93	1.1	LFX07L2-BS12	7.0	113	58	89	0.424
						LFX09L2-BS12	9.0	113	58	89	0.575
YB5L-B	5.0	121	61	131	1.5	LFX07L2-BS12	7.0	113	58	89	0.424
						LFX09L2-BS12	9.0	113	58	89	0.575
12N5.5-3B	5.5	136	61	131	1.8	LFX07L2-BS12	7.0	113	58	89	0.424
						LFX09L2-BS12	9.0	113	58	89	0.575
12N5.5-4A	5.5	136	61	131	1.5	LFX07A2-BS12	7.0	113	58	89	0.424
						LFX09A2-BS12	9.0	113	58	89	0.575
12N5.5A-3B	5.5	104	91	115	1.8	-	-	-	-	-	-
YB6-B	6.0	136	61	131	2.0	LFX09A2-BS12	9.0	113	58	89	0.575
12N7D-3B	7.0	136	76	150	2.2	LFX09L2-BS12	9.0	113	58	89	0.575
						LFX14L2-BS12	14.0	113	58	89	0.663
YB7BL-A	7.0	151	61	131	2.1	LFX09L2-BS12	9.0	113	58	89	0.575
						LFX14L2-BS12	14.0	113	58	89	0.663
YB7C-A	7.0	131.1	91	115	2.3	LFX09L2-BS12	9.0	113	58	89	0.575
						LFX14L2-BS12	14.0	113	58	89	0.663
YB7-A	8.0	137	76	134	2.2	LFX07A2-BS12	7.0	113	58	89	0.424
						LFX09A2-BS12	9.0	113	58	89	0.575
YB7L-B	8.0	136	76	134	2.4	LFX09L2-BS12	9.0	113	58	89	0.575
						LFX14L2-BS12	14.0	113	58	89	0.663
YB9-B	9.0	136	76	140	2.6	LFX09A2-BS12	9.0	113	58	89	0.575
						LFX14A2-BS12	14.0	113	58	89	0.663
YB9L-A2	9.0	136	76	140	2.6	LFX09L2-BS12	9.0	113	58	89	0.575
						LFX14L2-BS12	14.0	113	58	89	0.663
YB9L-B	9.0	137	76	140	2.3	LFX09L2-BS12	9.0	113	58	89	0.575
						LFX14L2-BS12	14.0	113	58	89	0.663
YB10L-A	10.0	136	91	146	2.7	LFX14L2-BS12	14.0	113	58	89	0.663
YB12A-AK	10.0	135	81	161	2.5	-	-	-	-	-	-
YB10L-A2	11.0	136	91	146	2.8	LFX14L2-BS12	14.0	113	58	89	0.663
YB10L-B	11.0	136	91	146	2.8	LFX14L2-BS12	14.0	113	58	89	0.663
YB10L-B2	11.0	136	91	146	2.8	LFX14L2-BS12	14.0	113	58	89	0.663
YB12B-B2	11.0	161	91	131	3.1	LFX14A1-BS12	14.0	148	66	105	0.851
YB12A-A	12.0	135	81	161	3.4	LFX14A5-BS12	14.0	134	80	160	1.032

SHORAI LFX バッテリー 互換表



ジーエス・ユアサバッテリー						SHORAI LFX バッテリー					
型番	10時間率 容量 (Ah)	最大外形寸法 (mm)			重量 約 (Kg)	型番	10時間率 容量 PbEq(Ah)	最大外形寸法 (mm)			重量 約 (Kg)
		長さ	幅	高さ				長さ	幅	高さ	
開放型バッテリー						SHORAI LFX					
YB12A-B	12.0	135	81	161	3.0	LFX14A5-BS12	14.0	134	80	160	1.032
YB12A-B2	12.0	135	81	161	3.4	LFX14A5-BS12	14.0	134	80	160	1.032
YB12AL-A2	12.0	135	81	161	3.0	LFX14L5-BS12	14.0	134	80	160	1.032
YB12C-A	12.0	135	81	176	3.4	LFX14A5-BS12	14.0	134	80	160	1.032
SYB14L-A2	14.0	136	91	167	3.3	LFX14L5-BS12	14.0	134	80	160	1.032
YB14-A2	14.0	136	91	168	3.3	LFX14A5-BS12	14.0	134	80	160	1.032
YB14A-A2	14.0	136	91	177	3.3	LFX14A5-BS12	14.0	134	80	160	1.032
YB14-B2	14.0	136	91	168	3.3	LFX14A5-BS12	14.0	134	80	160	1.032
YB14L-A1	14.0	136	91	168	3.3	LFX14L5-BS12	14.0	134	80	160	1.032
YB14L-A2	14.0	136	91	168	3.3	LFX14L5-BS12	14.0	134	80	160	1.032
YB14L-B2	14.0	136	91	168	3.3	LFX14L5-BS12	14.0	134	80	160	1.032
HYB16A-AB	16.0	154	94	182	3.9	LFX21A6-BS12	21.0	148	82	140	1.380
YB16AL-A2	16.0	206	71	163	4.0	LFX18L1-BS12	18.0	148	66	105	1.038
YB16B-A	16.0	161	91	162	4.2	LFX21A6-BS12	21.0	148	82	140	1.380
YB16B-A1	16.0	161	91	162	4.2	LFX21A6-BS12	21.0	148	82	140	1.380
12N18-3	18.0	207	92	164	4.8	-	-	-	-	-	-
YB18L-A	18.0	182	92	163	4.6	LFX21L6-BS12	21.0	148	82	140	1.380
						LFX24L3-BS12	24.0	166	86	155	1.640
YB16-B	19.0	176	101	156	4.9	LFX21A6-BS12	21.0	148	82	140	1.380
						LFX24A3-BS12	24.0	166	86	155	1.640
YB16CL-B	19.0	176	101	176	4.6	LFX21L6-BS12	21.0	148	82	140	1.380
						LFX24L3-BS12	24.0	166	86	155	1.640
YB16HL-A-CX	19.0	176	101	156	4.8	LFX21L6-BS12	21.0	148	82	140	1.380
						LFX24L3-BS12	24.0	166	86	155	1.640
YB16L-B	19.0	176	101	156	4.9	LFX21L6-BS12	21.0	148	82	140	1.380
						LFX24L3-BS12	24.0	166	86	155	1.640
Y50-N18L-A	20.0	206	91	164	4.8	LFX24L3-BS12	24.0	166	86	155	1.640
						LFX27L3-BS12	27.0	166	86	155	1.750
Y50-N18L-A3	20.0	207	92	164	5.1	LFX24L3-BS12	24.0	166	86	155	1.640
						LFX27L3-BS12	27.0	166	86	155	1.750
Y60-N24L-A	28.0	185	125	177	6.6	LFX27L3-BS12	27.0	166	86	155	1.750
						LFX36L3-BS12	36.0	166	86	155	2.190
53030	28.0	186	129	172	7.0	LFX36L3-BS12	36.0	166	86	155	2.190
YHD-12H	29.0	207	134	167	6.0	LFX27A3-BS12	27.0	166	86	155	1.750
						LFX36A3-BS12	36.0	166	86	155	2.190

備考：SHORAI LFX バッテリーの適合サイズが2種類ある場合、上段は標準推奨モデル。下段はイモビライザー、セキュリティシステム、ナビ、ETC、グリップヒーター等の電装品の追加を行っている車輛用です。寒暖差のある日本の環境では容量の大きい下段のモデルを推奨します。また、輸入車への適合も必ず下段のモデルをご使用下さい。